



NOTE
* WOOD TRUSS JOISTS TO BE SIZES BY MANUFACTURER TRUSS DRAWING AND CALC TO BE SEALED BY AN ENGINEER REGISTERED IN THE STATE OF LOUISIANA.

NOTE
1. PLEASE NOTE THAT AS APPLICABLE, COMPLIANCE WITH SECTION R-123 OF THE CABO CODE, LATEST EDITION, REGARDING HANDRAILS AND GUARD RAILS WILL BE ADHERED TO. WE ARE FAMILIAR WITH THE REQUIREMENTS.
2. HANDRAIL WITH HEIGHTS NO LESS THAN 36" AND NO MORE THAN 38" WILL BE PROVIDED ON ONE SIDE OF ALL STAIRWAYS OF THREE OR MORE RISERS MINIMUM TREAD WIDTH OF 36".

THOMAS M. SMITH
CONSULTING ENGINEER
6516 BOUTALL STREET
METAIRIE, LOUISIANA 70003
PH. (504) 247-6284
Design Drafting Services, LLC
La Place, La. elbertelmer@gmail.com

SECTIONS & DETAILS	
DRAWN BY ELBERT	DATE 04/21
CHECKED BY T.S.	DATE 04/21
ENGR.	DATE
DEPT.	DATE
PROJECT	DATE
CLIENT	DATE
SCALE AS SHOWN	

NO.	DATE	BY	DESCRIPTION	REVISIONS

10/17/20
Date: 4/17/20
Drawing File: C:\Projects\15\15A\236
C-200

W0414