

New Orleans Fire Department  
 317 DECATUR ST.  
 New Orleans, LA 70130  
 504-658-4700

Incident Report  
 2021-0024400 -000

Printed: 03/09/2022 14:22:05  
 Number of Pages: 11

| <b>Basic</b>                      |   |
|-----------------------------------|---|
| Alarm Date and Time               | 16:43:34 Saturday, May 22, 2021                               |
| Arrival Time                      | 16:56:17  |
| Controlled Time                   | 17:23:37  |
| Last Unit Cleared Time            | 18:43:01  |
| Response Time                     | 0:12:43   |
| Priority Response                 | Yes   |
| Completed                         | Yes   |
| Reviewed                          | Yes   |
| Fire Department Station           | 21  |
| Shift                             | B   |
| Incident Type                     | 111A - Building fire ( Blighted or Abandoned)                 |
| Aid Given or Received             | N - None  |
| Alarms                            | 2   |
| Action Taken 1                    | 11N - Extinguish 111N   |
| Action Taken 2                    | 86A - Residence smoke alarm tested ok or in working condition |
| Casualties                        | No  |
| Apparatus - Suppression           | 18  |
| Personnel - Suppression Personnel | 47  |
| Property Loss                     | \$4,000.00  |
| Contents Loss                     | \$20,000.00   |
| Property Value                    | \$200,000.00  |
| Contents Value                    | \$50,000.00   |
| Detector Alerted occupants        | 2   |
| Property Use                      | 891 - Warehouse   |
| Location Type                     | Address   |
| Address                           | 2815 FRENCHMEN ST   |
| City, State Zip                   | NEW ORLEANS, LA 70122   |
| District                          | 03  |
| Census Tract                      | 3074  |
| Directions                        | 2815 FRENCHMEN ST   |
| Latitude                          | 29.9865   |
| Longitude                         | -090.059  |

| <b>Situation</b>      |  |
|-----------------------|--|
| Initial Dispatch Code | BLDG   |
| Final Dispatch Code   | BLDG   |
| Incident Delay        | OUTOFTER - Responded out of first up territory |

| <b>Person Involved/Property Owner - ADT/MAEG,</b> |            |
|---|------------|
| Owner   | Yes        |
| Involvement Code                                  | REP        |
| Last Name   | ADT/MAEG   |
| Street Address                                    |            |
| Phone   | 8773052984 |

| <b>Fire</b>                  |                       |
|------------------------------|-----------------------|
| Structure Type               | 1 - Enclosed building |
| Number of Buildings Involved | 1                     |

New Orleans Fire Department  
317 DECATUR ST.  
New Orleans, LA 70130  
504-658-4700

Incident Report  
2021-0024400 -000

Printed: 03/09/2022 14:22:05  
Number of Pages: 11

| <b>Fire</b>                |  |
|----------------------------|--|
| Area of Origin             | 15 - Sales area, showroom (exclude display window) |
| Heat Source                | 13 - Arcing  |
| Item First Ignited         | 81 - Electrical wire, cable insulation             |
| Confined To Origin         | 1  |
| Cause of Ignition          | 2 - Unintentional                                  |
| Contribution To Ignition 1 | 30 - Electrical failure, malfunction, other        |
| Human Factors              | None   |
| Suppression Factor 1       | NNN - None   |
| Mobile Equipment Involved  | N - None   |
| Equipment Type             | 210 - Electrical wiring, other                     |
| Equipment Power            | 10 - Electrical, other                             |
| Equipment Portability      | 2 - Stationary                                     |

| <b>Structure</b>    |                                   |
|---------------------|-----------------------------------|
| Status              | 2U - In normal use, uninhabitable |
| Floor of Origin     | 1                                 |
| Stories Above Grade | 1                                 |
| Building Length     | 168                               |
| Building Width      | 114                               |
| Total Square Feet   | 19152                             |
| Fire Spread         | 1 - Confined to object of origin  |
| Detector Presence   | 3                                 |
| AES Presence        | 3                                 |

| <b>Apparatus - E13</b>             |   |
|------------------------------------|---|
| Apparatus ID                       | E13   |
| Apparatus Dispatch Date and Time   | 16:46:19 Saturday, May 22, 2021                   |
| Apparatus Clear Date and Time      | 16:46:52 Saturday, May 22, 2021                   |
| Apparatus priority response        | Yes   |
| Apparatus cancelled after dispatch | Yes   |
| Number of People                   | 3   |
| Apparatus Use                      | 1   |
| Apparatus Action Taken 1           | 93 - Cancelled                                    |
| Apparatus Type                     | 11 - Engine                                       |
| Personnel 1                        | 09245 - CARDINALE, JOHN M<br>Position: OPER       |
| Personnel 2                        | 09163 - MCCORKLE, KEVIN<br>Position: CAPT         |
| Personnel 3                        | 21065 - COLLONGUES, CHRISTOPHER M<br>Position: FF |

| <b>Apparatus - S02</b>             |                                 |
|------------------------------------|---------------------------------|
| Apparatus ID                       | S02                             |
| Apparatus Dispatch Date and Time   | 17:03:25 Saturday, May 22, 2021 |
| Apparatus Clear Date and Time      | 17:04:01 Saturday, May 22, 2021 |
| Apparatus priority response        | Yes                             |
| Apparatus cancelled after dispatch | Yes                             |
| Number of People                   | 4                               |

New Orleans Fire Department  
 317 DECATUR ST.  
 New Orleans, LA 70130  
 504-658-4700

Incident Report  
 2021-0024400 -000

Printed: 03/09/2022 14:22:05  
 Number of Pages: 11

**Apparatus - S02**

|                          |  |
|--------------------------|--|
| Apparatus Use            | 1  |
| Apparatus Action Taken 1 | 93 - Cancelled                                 |
| Apparatus Type           | 12 - Truck or aerial                           |
| Personnel 1              | 14847 - BOURGEOIS, MICHAEL D<br>Position: CAPT |
| Personnel 2              | 016034 - GUERRERO, LENIN X<br>Position: FF     |
| Personnel 3              | 18514 - ULRICH, KYLE J<br>Position: OPER       |
| Personnel 4              | 030114 - BRUNER, CHASE T<br>Position: FF       |

**Apparatus - L08**

|                                    |   |
|------------------------------------|---|
| Apparatus ID                       | L08   |
| Apparatus Dispatch Date and Time   | 17:18:13 Saturday, May 22, 2021             |
| Apparatus Clear Date and Time      | 17:24:06 Saturday, May 22, 2021             |
| Apparatus priority response        | Yes   |
| Apparatus cancelled after dispatch | Yes   |
| Number of People                   | 3   |
| Apparatus Use                      | 1   |
| Apparatus Action Taken 1           | 93 - Cancelled                              |
| Apparatus Type                     | 12 - Truck or aerial                        |
| Personnel 1                        | 09291 - NICK, DAVID F<br>Position: CAPT     |
| Personnel 2                        | 17473 - KING, PAUL J<br>Position: OPER      |
| Personnel 3                        | 029435 - BEAULIEU, DAKOTA T<br>Position: FF |

**Apparatus - E08**

|                                    |  |
|------------------------------------|--|
| Apparatus ID                       | E08  |
| Apparatus Dispatch Date and Time   | 17:18:13 Saturday, May 22, 2021                |
| Apparatus Clear Date and Time      | 17:24:26 Saturday, May 22, 2021                |
| Apparatus priority response        | Yes  |
| Apparatus cancelled after dispatch | Yes  |
| Number of People                   | 4  |
| Apparatus Use                      | 1  |
| Apparatus Action Taken 1           | 93 - Cancelled                                 |
| Apparatus Action Taken 2           | 12 - Salvage & overhaul                        |
| Apparatus Type                     | 11 - Engine                                    |
| Personnel 1                        | 14840 - DAVIS, ISRAEL J<br>Position: CAPT      |
| Personnel 2                        | 16025 - CHARLOT, ALFRED M<br>Position: OPER    |
| Personnel 3                        | 19727 - DIGGS, JOHNATHAN C<br>Position: FF     |
| Personnel 4                        | 030123 - MCKNIGHT, WILLIE INAA<br>Position: FF |

New Orleans Fire Department  
317 DECATUR ST.  
New Orleans, LA 70130  
504-658-4700

Incident Report  
2021-0024400 -000

Printed: 03/09/2022 14:22:05  
Number of Pages: 11

| <b>Apparatus - C500</b>            |   |                        |
|------------------------------------|---|------------------------|
| Apparatus ID                       | C500  |                        |
| Apparatus Dispatch Date and Time   | 17:18:13  | Saturday, May 22, 2021 |
| Apparatus Clear Date and Time      | 17:24:11  | Saturday, May 22, 2021 |
| Apparatus priority response        | Yes   |                        |
| Apparatus cancelled after dispatch | Yes   |                        |
| Number of People                   | 1   |                        |
| Apparatus Use                      | 1   |                        |
| Apparatus Action Taken 1           | 93 - Cancelled                                  |                        |
| Apparatus Type                     | 92 - Chief officer car                          |                        |
| Personnel 1                        | 8563 - LAMPARD, JAIME S                         |                        |
|                                    | Position: DC                                    |                        |
|                                    | Personnel Action Taken 1: 81 - Incident Command |                        |

| <b>Apparatus - C508</b>            |                        |                        |
|------------------------------------|------------------------|------------------------|
| Apparatus ID                       | C508                   |                        |
| Apparatus Dispatch Date and Time   | 17:18:13               | Saturday, May 22, 2021 |
| Apparatus Clear Date and Time      | 17:24:26               | Saturday, May 22, 2021 |
| Apparatus priority response        | Yes                    |                        |
| Apparatus cancelled after dispatch | Yes                    |                        |
| Number of People                   | 1                      |                        |
| Apparatus Use                      | 1                      |                        |
| Apparatus Action Taken 1           | 93 - Cancelled         |                        |
| Apparatus Type                     | 92 - Chief officer car |                        |
| Personnel 1                        | 9351 - BEBA, HENRY L   |                        |
|                                    | Position: DC           |                        |

| <b>Apparatus - L07</b>             |                              |                        |
|------------------------------------|------------------------------|------------------------|
| Apparatus ID                       | L07                          |                        |
| Apparatus Dispatch Date and Time   | 17:18:13                     | Saturday, May 22, 2021 |
| Apparatus Clear Date and Time      | 17:24:13                     | Saturday, May 22, 2021 |
| Apparatus priority response        | Yes                          |                        |
| Apparatus cancelled after dispatch | Yes                          |                        |
| Number of People                   | 3                            |                        |
| Apparatus Use                      | 1                            |                        |
| Apparatus Action Taken 1           | 93 - Cancelled               |                        |
| Apparatus Type                     | 12 - Truck or aerial         |                        |
| Personnel 1                        | 11967 - MARCELLO, MICHAEL J  |                        |
|                                    | Position: CAPT               |                        |
| Personnel 2                        | 029668 - DANNEY, MICHAEL J   |                        |
|                                    | Position: FF                 |                        |
| Personnel 3                        | 031884 - THIBODEAUX, ETHAN R |                        |
|                                    | Position: FF-P               |                        |

| <b>Apparatus - E14</b>           |          |                        |
|----------------------------------|----------|------------------------|
| Apparatus ID                     | E14      |                        |
| Apparatus Dispatch Date and Time | 17:18:13 | Saturday, May 22, 2021 |
| Apparatus Clear Date and Time    | 17:56:06 | Saturday, May 22, 2021 |
| Apparatus priority response      | Yes      |                        |

New Orleans Fire Department  
317 DECATUR ST.  
New Orleans, LA 70130  
504-658-4700

Incident Report  
2021-0024400 -000

Printed: 03/09/2022 14:22:05  
Number of Pages: 11

**Apparatus - E14**

|                                    |   |
|------------------------------------|---|
| Apparatus cancelled after dispatch | Yes                                       |
| Number of People                   | 3   |
| Apparatus Use                      | 1   |
| Apparatus Action Taken 1           | 93 - Cancelled                            |
| Apparatus Type                     | 11 - Engine                               |
| Personnel 1                        | 18903 - HENRY, BLAKE M<br>Position: OPER  |
| Personnel 2                        | 19513 - MURPHY, MICHAEL P<br>Position: FF |
| Personnel 3                        | 20499 - ALONZO, JUSTIN C<br>Position: FF  |

**Apparatus - L11**

|                                  |  |
|----------------------------------|--|
| Apparatus ID                     | L11  |
| Response Time                    | 0:09:29                                    |
| Apparatus Dispatch Date and Time | 16:46:48 Saturday, May 22, 2021            |
| Apparatus Arrival Date and Time  | 16:56:17 Saturday, May 22, 2021            |
| Apparatus Clear Date and Time    | 18:42:54 Saturday, May 22, 2021            |
| Apparatus priority response      | Yes  |
| Number of People                 | 3  |
| Apparatus Use                    | 1  |
| Apparatus Action Taken 1         | 11N - Extinguish 111N                      |
| Apparatus Type                   | 12 - Truck or aerial                       |
| Personnel 1                      | 20522 - GRAY, MARQUIES J<br>Position: CAPT |
| Personnel 2                      | 029694 - SHIELDS, TREY A<br>Position: FF   |
| Personnel 3                      | 29447 - HALL, RYAN J<br>Position: FF       |

**Apparatus - 230**

|                                  |   |
|----------------------------------|---|
| Apparatus ID                     | 230   |
| Response Time                    | 0:12:42   |
| Apparatus Dispatch Date and Time | 16:43:35 Saturday, May 22, 2021                               |
| En route to scene date and time  | 16:43:35 Saturday, May 22, 2021                               |
| Apparatus Arrival Date and Time  | 16:56:17 Saturday, May 22, 2021                               |
| Apparatus Clear Date and Time    | 18:43:01 Saturday, May 22, 2021                               |
| Apparatus priority response      | Yes   |
| Number of People                 | 1   |
| Apparatus Use                    | 1   |
| Apparatus Action Taken 1         | 11N - Extinguish 111N   |
| Apparatus Action Taken 2         | 86A - Residence smoke alarm tested ok or in working condition |
| Apparatus Type                   | 92 - Chief officer car  |
| Personnel 1                      | 9562 - MICKAL, CHRIS E<br>Position: DC                        |

**Apparatus - E21**

|              |     |
|--------------|-----|
| Apparatus ID | E21 |
|--------------|-----|

New Orleans Fire Department  
317 DECATUR ST.  
New Orleans, LA 70130  
504-658-4700

Incident Report  
2021-0024400 -000

Printed: 03/09/2022 14:22:05  
Number of Pages: 11

**Apparatus - E21**

|                                  |  |
|----------------------------------|--|
| Response Time                    | 0:05:23                                    |
| Apparatus Dispatch Date and Time | 17:03:25 Saturday, May 22, 2021            |
| Apparatus Arrival Date and Time  | 17:08:48 Saturday, May 22, 2021            |
| Apparatus Clear Date and Time    | 18:25:22 Saturday, May 22, 2021            |
| Apparatus priority response      | Yes  |
| Number of People                 | 3  |
| Apparatus Use                    | 1  |
| Apparatus Action Taken 1         | 11N - Extinguish 111N                      |
| Apparatus Type                   | 11 - Engine                                |
| Personnel 1                      | 6714 - LAMBERT, STEVEN D<br>Position: CAPT |
| Personnel 2                      | 15046 - SIMMS, VERNON W<br>Position: OPER  |
| Personnel 3                      | 18499 - ALBERT, GEORGE H<br>Position: FF   |

**Apparatus - R07**

|                                  |   |
|----------------------------------|---|
| Apparatus ID                     | R07   |
| Response Time                    | 0:07:30                                       |
| Apparatus Dispatch Date and Time | 17:03:25 Saturday, May 22, 2021               |
| Apparatus Arrival Date and Time  | 17:10:55 Saturday, May 22, 2021               |
| Apparatus Clear Date and Time    | 17:58:43 Saturday, May 22, 2021               |
| Apparatus priority response      | Yes   |
| Number of People                 | 3   |
| Apparatus Use                    | 1   |
| Apparatus Action Taken 1         | 12 - Salvage & overhaul                       |
| Apparatus Type                   | 71 - Rescue unit                              |
| Personnel 1                      | 6613 - BLACKWELL, JOHN M<br>Position: CAPT    |
| Personnel 2                      | 18245 - BARBAZON, KEITH J<br>Position: OPER   |
| Personnel 3                      | 21029 - COSTANTINI, MATTHEW J<br>Position: FF |

**Apparatus - E09**

|                                  |  |
|----------------------------------|--|
| Apparatus ID                     | E09  |
| Response Time                    | 0:07:31                                      |
| Apparatus Dispatch Date and Time | 17:03:25 Saturday, May 22, 2021              |
| Apparatus Arrival Date and Time  | 17:10:56 Saturday, May 22, 2021              |
| Apparatus Clear Date and Time    | 18:28:26 Saturday, May 22, 2021              |
| Apparatus priority response      | Yes  |
| Number of People                 | 3  |
| Apparatus Use                    | 1  |
| Apparatus Action Taken 1         | 70 - Assistance, other                       |
| Apparatus Type                   | 11 - Engine                                  |
| Personnel 1                      | 18861 - SCHUELKE, JUSTIN J<br>Position: OPER |
| Personnel 2                      | 20512 - RICHARD, ANDREW M                    |

New Orleans Fire Department  
 317 DECATUR ST.  
 New Orleans, LA 70130  
 504-658-4700

Incident Report  
 2021-0024400 -000

Printed: 03/09/2022 14:22:05  
 Number of Pages: 11

| <b>Apparatus - E09</b> |  |
|------------------------|--|
| Personnel 3            | Position: FF<br>029461 - COLSON, DOUGLAS D<br>Position: FF |

| <b>Apparatus - E13</b>           |   |
|----------------------------------|---|
| Apparatus ID                     | E13   |
| Response Time                    | 0:07:33   |
| Apparatus Dispatch Date and Time | 17:03:25 Saturday, May 22, 2021                   |
| Apparatus Arrival Date and Time  | 17:10:58 Saturday, May 22, 2021                   |
| Apparatus Clear Date and Time    | 18:21:56 Saturday, May 22, 2021                   |
| Apparatus priority response      | Yes   |
| Number of People                 | 3   |
| Apparatus Use                    | 1   |
| Apparatus Action Taken 1         | 12 - Salvage & overhaul                           |
| Apparatus Type                   | 11 - Engine                                       |
| Personnel 1                      | 09245 - CARDINALE, JOHN M<br>Position: OPER       |
| Personnel 2                      | 09163 - MCCORKLE, KEVIN<br>Position: CAPT         |
| Personnel 3                      | 21065 - COLLONGUES, CHRISTOPHER M<br>Position: FF |

| <b>Apparatus - E06</b>           |  |
|----------------------------------|--|
| Apparatus ID                     | E06  |
| Response Time                    | 0:07:55                                    |
| Apparatus Dispatch Date and Time | 17:03:25 Saturday, May 22, 2021            |
| Apparatus Arrival Date and Time  | 17:11:20 Saturday, May 22, 2021            |
| Apparatus Clear Date and Time    | 18:27:16 Saturday, May 22, 2021            |
| Apparatus priority response      | Yes  |
| Number of People                 | 3  |
| Apparatus Use                    | 1  |
| Apparatus Action Taken 1         | 12 - Salvage & overhaul                    |
| Apparatus Type                   | 11 - Engine                                |
| Personnel 1                      | 06611 - MOORE, NIGEL L<br>Position: OPER   |
| Personnel 2                      | 7107 - ST. JULIEN, PAUL<br>Position: CAPT  |
| Personnel 3                      | 16754 - DESDUNES, LYNELL J<br>Position: FF |

| <b>Apparatus - C503</b>          |                                 |
|----------------------------------|---------------------------------|
| Apparatus ID                     | C503                            |
| Response Time                    | 0:08:23                         |
| Apparatus Dispatch Date and Time | 17:03:25 Saturday, May 22, 2021 |
| Apparatus Arrival Date and Time  | 17:11:48 Saturday, May 22, 2021 |
| Apparatus Clear Date and Time    | 18:10:33 Saturday, May 22, 2021 |
| Apparatus priority response      | Yes                             |
| Number of People                 | 1                               |

New Orleans Fire Department  
317 DECATUR ST.  
New Orleans, LA 70130  
504-658-4700

Incident Report  
2021-0024400 -000

Printed: 03/09/2022 14:22:05  
Number of Pages: 11

| <b>Apparatus - C503</b>  |  |
|--------------------------|--|
| Apparatus Use            | 1                                      |
| Apparatus Action Taken 1 | 81 - Incident Command                  |
| Apparatus Action Taken 2 | 86 - Investigate                       |
| Apparatus Type           | 92 - Chief officer car                 |
| Personnel 1              | 8758 - SHANKS, BILLY E<br>Position: DC |

| <b>Apparatus - S07</b>           |   |
|----------------------------------|---|
| Apparatus ID                     | S07   |
| Response Time                    | 0:04:46                                       |
| Apparatus Dispatch Date and Time | 17:07:31 Saturday, May 22, 2021               |
| Apparatus Arrival Date and Time  | 17:12:17 Saturday, May 22, 2021               |
| Apparatus Clear Date and Time    | 18:03:29 Saturday, May 22, 2021               |
| Apparatus priority response      | Yes   |
| Number of People                 | 4   |
| Apparatus Use                    | 1   |
| Apparatus Action Taken 1         | 12 - Salvage & overhaul                       |
| Apparatus Type                   | 11 - Engine                                   |
| Personnel 1                      | 19728 - GAUTREAUX, ROBERT N<br>Position: CAPT |
| Personnel 2                      | 21034 - KRSAK, BRANDON S<br>Position: FF      |
| Personnel 3                      | 029437 - RODRIGUEZ, GRANT M<br>Position: FF   |
| Personnel 4                      | 030133 - MIGNOGNA, THOMAS S<br>Position: FF   |

| <b>Apparatus - C505</b>          |   |
|----------------------------------|---|
| Apparatus ID                     | C505                                      |
| Response Time                    | 0:16:11                                   |
| Apparatus Dispatch Date and Time | 17:03:25 Saturday, May 22, 2021           |
| Apparatus Arrival Date and Time  | 17:19:36 Saturday, May 22, 2021           |
| Apparatus Clear Date and Time    | 18:10:04 Saturday, May 22, 2021           |
| Apparatus priority response      | Yes                                       |
| Number of People                 | 1   |
| Apparatus Use                    | 1   |
| Apparatus Action Taken 1         | 81S - Safety                              |
| Apparatus Type                   | 92 - Chief officer car                    |
| Personnel 1                      | 13384 - USSIN, THOMAS T<br>Position: CAPT |

| <b>Authority</b>  |  |
|-------------------|--|
| Reported By       | 20522 - GRAY, MARQUIES J<br>13:21:56 Monday, May 31, 2021    |
| Officer In Charge | 6714 - LAMBERT, STEVEN D<br>17:25:09 Tuesday, July 27, 2021  |
| Reviewer          | 6718 - SCHORR, HENRY J<br>11:18:15 Thursday, August 26, 2021 |



Incident Report  
 2021-0024400 -000

Printed: 03/09/2022 14:22:05  
 Number of Pages: 11

**Narratives**

Narrative Name L11  
 Narrative Type Incident  
 Narrative Date 21:55:12 Saturday, May 22, 2021  
 Author 20522 - GRAY, MARQUIES J  
 Author Rank CAPT  
 Author Assignment 1  
 Narrative Text Established supply line and flaked out attack line. Stood by additional staffing to establish two in two out minimum staffing. Forced entry with and advanced attack into the structure. Extinguished all visable flames. Located seat of the fire and conducted overhaul operations to ensure the extinguishment of the fire. Conducted salvage operations. Cause of fire appeared to be electrical in nature.

Narrative Name E06  
 Narrative Type Incident  
 Narrative Date 23:16:59 Saturday, May 22, 2021  
 Author 7107 - ST. JULIEN, PAUL  
 Author Rank CAPT  
 Author Assignment 1  
 Narrative Text E06 helped with overhaul

Narrative Name E13  
 Narrative Type Incident  
 Narrative Date 00:58:28 Sunday, May 23, 2021  
 Author 09163 - MCCORKLE, KEVIN  
 Author Rank CAPT  
 Author Assignment 1  
 Narrative Text RESPONDED ON 1st ALARM - INSTRUCTED TO RAISE ROLL-UP DOOR FOR VENTILATION - MANPOWER

Narrative Name C503  
 Narrative Type Incident  
 Narrative Date 01:19:12 Sunday, May 23, 2021  
 Author 8758 - SHANKS, BILLY E  
 Author Rank DC  
 Author Assignment 1  
 Narrative Text Dispatched on a completion of a one alarm bldg fire. L11 reported light smoke. Upon arrival and assessment of the property, possible hazards, fire load, size of the building, and with the fire not being extinguished, I struck a second alarm.  
 Before the second alarm could reach the scene E21's captain reported that the fire was under control. I returned the second alarm. Ventilation was started in the building, Entergy Electric (420) arrived on the scene and pulled the meter. After further investigation it was determined the the fire started due to faulty wiring at an outlet. It was also determined that the electrical panel was a hazard as well as the buildings sprinkler system being capped off. The Deputy was notified of the hazards. After the fire was out E21's Captain was put in charge of the remainder of the incident.  
 Communications were unable to contact a building representative. E21's crew made sure the building was secure before leaving.

Narrative Name E09  
 Narrative Type Incident  
 Narrative Date 07:17:38 Sunday, May 23, 2021  
 Author 029461 - COLSON, DOUGLAS D

New Orleans Fire Department  
 317 DECATUR ST.  
 New Orleans, LA 70130  
 504-658-4700

Incident Report  
 2021-0024400 -000

Printed: 03/09/2022 14:22:05  
 Number of Pages: 11

**Narratives**

|                   |   |
|-------------------|---|
| Author Rank       | FF  |
| Author Assignment | 1   |
| Narrative Text    | E09 conducted a search of the second floor and ventilated the second floor. E09 provided manpower as needed.  |
| Narrative Name    | S07   |
| Narrative Type    | Incident  |
| Narrative Date    | 08:31:35 Sunday, May 23, 2021   |
| Author            | 19728 - GAUTREAUX, ROBERT N   |
| Author Rank       | CAPT  |
| Author Assignment | 1   |
| Narrative Text    | SALVAGE AND OVERHAUL  |
| Narrative Name    | 230   |
| Narrative Type    | Incident  |
| Narrative Date    | 08:39:17 Monday, May 24, 2021   |
| Author            | 9562 - MICKAL, CHRIS E  |
| Author Rank       | DC  |
| Author Assignment | 1   |
| Narrative Text    | Returned in route.  |
| Narrative Name    | E21   |
| Narrative Type    | Incident  |
| Narrative Date    | 07:10:28 Tuesday, May 25, 2021  |
| Author            | 6714 - LAMBERT, STEVEN D  |
| Author Rank       | CAPT  |
| Author Assignment | 1   |
| Narrative Text    | Made entry with L11 extinguished fire and did overhaul.   |
| Narrative Name    | C505  |
| Narrative Type    | Incident  |
| Narrative Date    | 10:57:58 Tuesday, May 25, 2021  |
| Author            | 13384 - USSIN, THOMAS T   |
| Author Rank       | CAPT  |
| Author Assignment | 1   |
| Narrative Text    | I arrived on scene and assumed the safety officer position in front of the building. I monitored the scene for safety concerns and made sure all members had on the proper PPE. |
| Narrative Name    | 230   |
| Narrative Type    | Incident  |
| Narrative Date    | 09:05:41 Wednesday, May 26, 2021  |
| Author            | 9562 - MICKAL, CHRIS E  |
| Author Rank       | DC  |
| Author Assignment | 1   |
| Narrative Text    | Returned in route.  |
| Narrative Name    | C500  |
| Narrative Type    | Incident  |
| Narrative Date    | 18:21:23 Tuesday, July 6, 2021  |
| Author            | 07052 - WHITE, LARRY  |
| Author Rank       | DEP   |
| Author Assignment | 1   |
| Narrative Text    | Incident Commander  |

Incident Report  
2021-0024400 -000

Printed: 03/09/2022 14:22:05  
Number of Pages: 11

**Narratives**

Narrative Name E08  
Narrative Type Incident  
Narrative Date 18:27:06 Tuesday, July 6, 2021  
Author 07052 - WHITE, LARRY  
Author Rank DEP  
Author Assignment 1  
Narrative Text Assisted with fire attack  
Salvage and Overhaul

Narrative Name R07  
Narrative Type Incident  
Narrative Date 18:27:06 Tuesday, July 6, 2021  
Author 07052 - WHITE, LARRY  
Author Rank DEP  
Author Assignment 1  
Narrative Text RIC

End of Report