


# SAFETY & PERMITS

## BUILDING PERMIT

### DESCRIPTION OF APPROVED WORK

Scope of Work, unit 333/334–roof/termite  
repair/interior finish and misc items □ ROOF:



22-16695-RNVN  
7005 Lawrence

REPAIR OF REAR SOFT AREAS AT UNITS  
 333/334 R/R ~300SF AREA AT REAR OF  
 334/333, REPLACE ~512 LF OF JOIST/128SF  
 SHEATHING/REPLACE ROOF SYSTEM AND TIE  
 INTO EXISTING REPAIR OF FRONT SOFT AREAS  
 AT UNITS 333 R/R 32SF AREA AT FRONT BDR  
 ABOVE WINDOW, REPLACE ~32 LF OF  
 JOIST/32SF SHEATHING/REPLACE ROOF  
 SYSTEM AND TIE INTO EXISTING TRIM BACK  
 TREE 3.5 DAYS 4 MEN PLUS

SUPER INTERIOR/EXTERIOR: This unit is  
 heavily full of furniture on the second floor  
 which include the two bedrooms Thru 5/29/22  
 – over the weekend the front and rear roof  
 were repaired On 5/31/22 – 6/1/22 – termites  
 were discovered in unit, walls were opened and  
 prepared for termite treatment 6/1/22 – areas  
 were treated by termite exterminator 6/2/22 –  
 replace damaged wood (like in kind repair),  
 install insulation, and hang sheetrock in wall  
 and ceiling at rear bedroom 6/3/22 – finalize  
 living room space and first floor minor repairs.  
 Resident can come back into space after 1:00  
 PM. Upstairs space will still remain under  
 construction until the 7th in the afternoon at  
 the rear BDR 6/3/22 – open up exterior siding  
 at rear windows, re nail plywood to new lumber,  
 install moisture barrier, reinstall removed  
 siding. 6/7/22 – texture and paint at rear  
 bedroom area 6/8/22 – 6/10/22 – transfer  
 furnishings near the front end of front  
 bedroom to rear bedroom to create space to  
 work on front window structure. Replace  
 damaged wood like in

**USE TYPE: Multi-Family Dwelling (Three Units and Above)**

**IMPROVEMENT TYPE: Renovation (Non-Structural)**

**ZONING: S-RM2**

**FLOOD ZONE: AE**

**ELEVATION REQUIREMENT:**

**VALUE OF APPROVED WORK: \$19,456.00**

# NOT VALID UNLESS POSTED ON SITE

**THIS PERMIT MUST REMAIN PUBLICLY POSTED AT ALL TIMES WHILE WORK IS IN PROGRESS**

**Verify the authenticity of this permit or find more information about the project by visiting [nola.gov/onestop](http://nola.gov/onestop) or by scanning this code using a smartphone and searching the permit number in the dark blue oval at the top of the page.**



This permit conveys no right to violate any provisions of the New Orleans Amendments to the International Building Code or Comprehensive Zoning Ordinance. A permit becomes invalid unless the work authorized by the permit is commenced within 180 days after its issuance, or if the work authorized on the permit is suspended or abandoned for a period of 180 days after the time the work is commenced. This permit conveys no right to occupy any street, alley, or part thereof, either temporarily or permanently. Encroachments on public property must be approved by the appropriate City agency; separate permits must be obtained from other City or State agencies as required by law. This permit is subject to issuance of a final Certificate of Occupancy or Certificate of Completion; otherwise same is null and void. It is unlawful to occupy any building or portion thereof without said certificate.

**IT IS UNLAWFUL TO POUR ANY FOUNDATION, CLOSE ANY WALL, OR COVER ANY SPACE WITHOUT PRIOR APPROVAL FROM THE BUILDING INSPECTION DIVISION. FOR INFORMATION OR TO SCHEDULE AN INSPECTION, PLEASE CALL 504-658-7100.**

1300 Perdido Street, Room 7W03 • New Orleans • LA • 70112 • (504) 658-7100 •

[nola.gov/onestop](http://nola.gov/onestop)

**SOLO EL TRABAJO DESCRITO ANTERIORMENTE PUEDE REALIZARSE LEGALMENTE EN ESTE EDIFICIO**