


HISTORIC DISTRICT LANDMARKS COMMISSION CERTIFICATE OF APPROPRIATENESS

WORK APPROVED:

1. Install solar panels as per attached drawings, approved 9/22/2022. Panels must be installed in a continuous, rectangular arrangement on a black, low-profile racking system a minimum of 10'-0" from the front building wall (not including the porch), 1'-0" from the roof ridge and 1'-0" from the roof eave. Rails shall not extend more than 0'-3" past panels. All exposed conduit shall be minimally visible from the public right of way.
2. All repair/replace shall match existing in material, exposure, dimension, size, operation, configuration, and type, unless otherwise specified.
3. All changes and additional work must be approved by the HDLC.
4. Contact HDLC Inspector Alex Nassar at (504)658-7045 or anassar@nola.gov for final inspection.



NOT VALID UNLESS POSTED ON SITE

By posting this notice, the owner of the property certifies that they understand all work described above, and acknowledge that they are legally responsible for ensuring that all work performed has been approved prior to execution and is completed in accordance with approvals obtained. *** For questions regarding this approval or to schedule a final inspection call the number below ***

THIS FORM MUST REMAIN POSTED UNTIL WORK IS CERTIFIED AS COMPLIANT BY HDLC STAFF

1300 Perdido Street, Room 7W03 • New Orleans • LA • 70112 • (504) 658-7040 • www.nola.gov/hdlc

SOLO EL TRABAJO DESCRITO ANTERIORMENTE PUEDE REALIZARSE LEGALMENTE EN ESTE EDIFICIO

3134 Burgundy St

22-28466-HDLC

9/22/2022

OWNER: MARJORIE S JUNKIN

APPLICANT: JEFFREY DAVID CANTIN

ISSUED BY: CHASE KLUGH