

City of New Orleans, New Orleans Fire Department
317 Decatur St.
New Orleans, LA 70130
(504) 658-4770 Office
(504) 585-7851 Fax

Receipt No: 849		Date 8/4/2021	
Type of service Fire Reports			
Incident No: 23300-21			
Address 2156 Robin Street			
Payment Method Check	Check Number 1693	Payment Amount \$25.00	Clerk TNW
Comments:			

First Name Anthony G. D'Antonio II	Last Name Irrevocable Inter Vivos Trust	
Payee Address 4936 Elysian Fields Ave.		
City New Orleans	State/Province LA	Postal Code 70122

Wednesday, August 11, 2021

New Orleans Fire Department
311 DECATUR ST
New Orleans LA 70130
504-558-4700

Incident Report
2021-0023300 -000

Printed 08/04/2021 14:38:03
Number of Pages: 9

Basic

Alarm Date and Time	21 13 54	Saturday, May 15, 2021
Arrival Time	21 20 04	
Controlled Time	21 40 29	
Last Unit Cleared Time	22 49 12	
Response Time	0 06 10	
Priority Response	Yes	
Completed	Yes	
Reviewed	Yes	
Fire Department Station	12	
Shift	C	
Incident Type	111 - Building fire extinguished with FD preconnect or greater	
Aid Given or Received	N - None	
Alarms	1	
Action Taken 1	11 - Extinguish	
Action Taken 2	86A - Residence smoke alarm tested ok or in working condition	
Casualties	No	
Apparatus - Suppression	9	
Personnel - Suppression Personnel	21	
Property Loss	\$1,500.00	
Contents Loss	\$2,000.00	
Property Value	\$107,000.00	
Contents Value	\$10,000.00	
Detector Alerted occupants	1	
Property Use	4190 - 2 family dwelling	
Location Type	Address	
Address	2156 ROBIN ST	
City, State Zip	NEW ORLEANS, LA 70122	
District	03	
Census Tract	7042	
Directions	2156 ROBIN ST	
Latitude	30.0111	
Longitude	-90.061	

Situation

Initial Dispatch Code	BLDG
Final Dispatch Code	BLDG
Incident Delay	NONE -

Person Involved/Property Owner - D'Antonio, Anthony

Owner	Yes
Name Prefix	MR
Last Name	D'Antonio
First Name	Anthony
Street Address	4936 Elysian Fields AVE
City, State Zip	New Orleans LA 70122

New Orleans Fire Department
311 DE LA 7th ST
New Orleans, LA 70130
504-858-4700

Incident Report
2021 0023300 000

Printed: 08/04/2021 14:38:03
Number of Pages: 9

Person Involved - Graps, Kelly

Occupies Property	Yes
Insurance Code	REF
Last Name	Graps
First Name	Kelly
Street Address	2156 Robin ST
City, State Zip	New Orleans, LA 70122
Phone	5049524391

Person Involved - Graps, Mary

Occupies Property	Yes
Last Name	Graps
First Name	Mary
Street Address	2156 Robin ST
City, State Zip	New Orleans, LA 70122
Phone	5049524391

Person Involved - Williams, Brian

Occupies Property	Yes
Last Name	Williams
First Name	Brian
Street Address	2158 Robin ST
City, State Zip	New Orleans, LA 70122
Phone	5042359009

Person Involved - Williams, Dekayah

Occupies Property	Yes
Last Name	Williams
First Name	Dekayah
Street Address	2158 Robin ST
City, State Zip	New Orleans, LA 70122
Phone	5042359009

Person Involved - Williams, Donna

Occupies Property	Yes
Last Name	Williams
First Name	Donna
Street Address	2158 Robin ST
City, State Zip	New Orleans, LA 70122
Phone	5042359009

Person Involved - Williams, Karen

Occupies Property	Yes
Last Name	Williams
First Name	Karen
Street Address	2158 Robin ST
City, State Zip	New Orleans, LA 70122

New Orleans Fire Department
317 DECATUR ST
New Orleans, LA 70130
504-658-4700

Incident Report
2021-0023300 -000

Printed 08/04/2021 14:38:03
Number of Pages: 9

	Person Involved - Williams, Karen
Phone	5042359009

	Fire
Structure Type	1 - Enclosed building
Number of Residential	2
Area of Origin	24 - Cooking area, kitchen
Heat Source	60 - Heat from other open flame or smoking materials
Item First Ignited	15 - Interior wall covering excluding drapes, etc.
Type of Material	UU - Undetermined
Cause of Ignition	2 - Unintentional
Contribution To Ignition 1	12 - Heat source too close to combustibles.
Human Factors	Mentally Disabled
Suppression Factor 1	NNN - None
Mobile Equipment Involved	N - None
Equipment Type	NNN - None

	Structure
Status	2U - In normal use, uninhabitable
Floor of Origin	2
Stories Above Grade	1
Building Length	31
Building Width	28
Total Square Feet	868
Fire Spread	3 - Confined to floor of origin
Stories with Significant Damage	1
Item Contributing To Spread	15 - Interior wall covering excluding drapes, etc.
Type of Material Contributing To	UU - Undetermined
Detector Presence	1
Detector Type	1 - Smoke
Detector Power	2 - Hardwire only
Detector Operation	2 - Detector operated
Detector Effectiveness	1 - Alerted occupants, occupants responded
AES Presence	3

	Apparatus - REDCI
Apparatus ID	REDCI
Apparatus Dispatch Date and Time	22:41:14 Saturday, May 15, 2021
Apparatus Clear Date and Time	22:49:12 Saturday, May 15, 2021
Apparatus priority response	Yes
Apparatus Use	1
Apparatus Action Taken 1	86K - Other, see narrative
Apparatus Type	00 - Other apparatus/resource

	Apparatus - E12
Apparatus ID	E12
Response Time	0:14:00

New Orleans Fire Department
 1117 Poydras Street
 New Orleans, LA 70113
 Tel: 504 470 4700

Printed: 06/16/2021 14:38:03
 Number of Pages: 9

Incident Report
 001-101111-100

Apparatus - E11

Apparatus Dispatch Date and Time	21:15:06	Saturday, May 15, 2021
Apparatus Arrival Date and Time	21:20:04	Saturday, May 15, 2021
Apparatus Clear Date and Time	22:47:07	Saturday, May 15, 2021
Apparatus priority response	Yes	
Number of People	3	
Apparatus Use	1	
Apparatus Action Taken 1	11 - Extinguish	
Apparatus Type	11 - Engine	
Personnel 1	20501 - GRAVES, CEDRIC J Position: FF	
Personnel 2	019322 - SMITH, RYAN E Position: FF	
Personnel 3	030111 - DORTCH, JAMAL R Position: FF	

Apparatus - E21

Apparatus ID	E21	
Response Time	0:06:49	
Apparatus Dispatch Date and Time	21:15:06	Saturday, May 15, 2021
Apparatus Arrival Date and Time	21:21:55	Saturday, May 15, 2021
Apparatus Clear Date and Time	22:11:26	Saturday, May 15, 2021
Apparatus priority response	Yes	
Number of People	3	
Apparatus Use	1	
Apparatus Action Taken 1	86K - Other, see narrative	
Apparatus Type	11 - Engine	
Personnel 1	10366 - DONALDSON, MICHAEL Position: CAPT	
Personnel 2	17496 - GREEN, DeSHAWN R Position: OPER	
Personnel 3	20890 - BLOUIN, HAROLD H Position: FF	

Apparatus - L11

Apparatus ID	L11	
Response Time	0:09:03	
Apparatus Dispatch Date and Time	21:15:06	Saturday, May 15, 2021
Apparatus Arrival Date and Time	21:24:09	Saturday, May 15, 2021
Apparatus Clear Date and Time	22:40:56	Saturday, May 15, 2021
Apparatus priority response	Yes	
Number of People	3	
Apparatus Use	1	
Apparatus Action Taken 1	12 - Salvage & overhaul	
Apparatus Type	12 - Truck or aerial	
Personnel 1	18073 - WATKINS, DAVID L Position: CAPT	

New Orleans Fire Department
317 DECATUR ST
New Orleans, LA 70130
504-658-4700

Incident Report
02C21-0023300 -000

Printed 08/04/2021 14:38:03
Number of Pages: 9

Apparatus - L11	
Personnel 2	Personnel Action Taken 1. 86K - Other, see narrative
Personnel 3	18067 - GUIDRY, GEORGE A Position: OPER 029680 - FINLAY, RALPH A Position: FF

Apparatus - E13	
Apparatus ID	E13
Response Time	0:09:15
Apparatus Dispatch Date and Time	21:15:06 Saturday, May 15, 2021
Apparatus Arrival Date and Time	21:24:21 Saturday, May 15, 2021
Apparatus Clear Date and Time	22:04:57 Saturday, May 15, 2021
Apparatus priority response	Yes
Number of People	3
Apparatus Use	1
Apparatus Action Taken 1	86K - Other, see narrative
Apparatus Type	11 - Engine
Personnel 1	7019 - DAIGLE, LEONARD R Position: CAPT 07739 - WEHLEN, ERNEST J Position: OPER 20864 - MAGGIO, MARK J Position: FF
Personnel 2	
Personnel 3	

Apparatus - E06	
Apparatus ID	E06
Response Time	0:11:12
Apparatus Dispatch Date and Time	21:15:06 Saturday, May 15, 2021
Apparatus Arrival Date and Time	21:26:18 Saturday, May 15, 2021
Apparatus Clear Date and Time	22:10:58 Saturday, May 15, 2021
Apparatus priority response	Yes
Number of People	3
Apparatus Use	1
Apparatus Action Taken 1	86K - Other, see narrative
Apparatus Type	11 - Engine
Personnel 1	8018 - SENNETT, BRIAN K Position: CAPT 7057 - COLLINS, ARNOLD C Position: OPER 030126 - HURTS, RYAN N Position: FF-P
Personnel 2	
Personnel 3	

Apparatus - R07	
Apparatus ID	R07
Response Time	0:11:49
Apparatus Dispatch Date and Time	21:15:06 Saturday, May 15, 2021

New Orleans Fire Department
317 DECATUR ST
New Orleans, LA 70130
504-658-4700

Printed: 08/04/2021 14:38:03
Number of Pages: 9

Incident Report
2021-0023300 -000

Apparatus - R07	
Apparatus Arrival Date and Time	21:26:55 Saturday, May 15, 2021
Apparatus Clear Date and Time	21:51:19 Saturday, May 15, 2021
Apparatus priority response	Yes
Number of People	4
Apparatus Use	86K - Other, see narrative
Apparatus Action Taken 1	71 - Rescue unit
Apparatus Type	09292 - LACAVA, RICK J
Personnel 1	Position: CAPT 08786 - PARKER, GEORGE A
Personnel 2	Position: FF 18069 - MATTHEWS, KENNETH J
Personnel 3	Position: FF 20279 - ADAMS, MICHAEL A
Personnel 4	Position: OPER

Apparatus - C505	
Apparatus ID	C505
Response Time	0:12:12
Apparatus Dispatch Date and Time	21:15:06 Saturday, May 15, 2021
Apparatus Arrival Date and Time	21:27:18 Saturday, May 15, 2021
Apparatus Clear Date and Time	22:01:22 Saturday, May 15, 2021
Apparatus priority response	Yes
Number of People	1
Apparatus Use	1
Apparatus Action Taken 1	81S - Safety
Apparatus Type	92 - Chief officer car
Personnel 1	16757 - FANDAL, JONATHAN D Position: CAPT

Apparatus - C503	
Apparatus ID	C503
Response Time	0:17:29
Apparatus Dispatch Date and Time	21:15:06 Saturday, May 15, 2021
Apparatus Arrival Date and Time	21:32:35 Saturday, May 15, 2021
Apparatus Clear Date and Time	22:15:36 Saturday, May 15, 2021
Apparatus priority response	Yes
Number of People	1
Apparatus Use	1
Apparatus Action Taken 1	81 - Incident Command
Apparatus Type	92 - Chief officer car
Personnel 1	8222 - WINDSAY, MICHAEL T Position: CAPT

Authority	
Reported By	18073 - WATKINS, DAVID L

New Orleans Fire Department
317 DECATUR ST
New Orleans LA 70130
504-658-4700

Printed: 08/04/2021 14:38:03
Number of Pages: 9

Incident Report
2021-0023300 -300

Authority	
Officer in Charge	BO 13 51 Sunday, May 16, 2021 18073 - WATKINS, DAVID L
Reviewer	BO 13 52 Sunday, May 16, 2021 BO6598 - WREN, CHRISTOPHER D 21 28 59 Tuesday, May 18, 2021
Narratives	
Narrative Name	C505
Narrative Type	Incident
Narrative Date	22:22:38 Saturday, May 15, 2021
Author	16757 - FANDAL, JONATHAN D
Author Rank	CAPT
Author Assignment	1
Narrative Text	C505 arrived on scene to a two story wood frame, working fire. C505 assumed fixed command (Robin Command) until relieved by C503. C505 assumed role as Safety and was returned by C503
Narrative Name	C503
Narrative Type	Incident
Narrative Date	22:41:40 Saturday, May 15, 2021
Author	8222 - WINDSAY, MICHAEL T
Author Rank	CAPT
Author Assignment	1
Narrative Text	C503 arrived to a 1 alarm working fire. C505 arrived 1st and set up command. RIC as Acct. board in place. Once on scene and briefed by C505 , C503 took command. C503 returned to Safety. Entergy Electric and Red Cross requested. Primary and Secondary search completed. Ext. and overhaul conducted. Fire began with food on the stove and was contained to kitchen area. Smoke and water damage throughout the house.
Narrative Name	E06
Narrative Type	Incident
Narrative Date	22:42:37 Saturday, May 15, 2021
Author	8018 - SENNETT, BRIAN K
Author Rank	CAPT
Author Assignment	1
Narrative Text	Assisted L-11 with ventilations , and pickup supply lines .
Narrative Name	L11
Narrative Type	Incident
Narrative Date	00:01:42 Sunday, May 16, 2021
Author	18073 - WATKINS, DAVID L
Author Rank	CAPT
Author Assignment	1
Narrative Text	L11 cut off electricity, set up fan and provided an attic ladder and light.
Narrative Name	R07
Narrative Type	Incident
Narrative Date	00:12:14 Sunday, May 16, 2021
Author	09292 - LACAVA, RICK J

New Orleans Fire Department
311 (NOLA) 5
New Orleans, LA 70130
504 856 4700

Printed: 08/04/2021 14:38:03
Number of Pages: 9

Incident Report
002-0023300 -000

Narrative

Author Rank
Author Assignment
Narrative Text
Narrative Name
Narrative Type
Narrative Date
Author
Author Rank
Author Assignment
Narrative Text

CAPT

1

Returned

F11

Incident

00:12:49 Sunday, May 16, 2021

7019 - DAIGLE, LEONARD R

CAPT

1

Arrived on scene of a working fire in the kitchen of a two story wood-framed dwelling.
Assisted with extinguishment salvage and overhaul.

F12

Incident

00:13:04 Sunday, May 16, 2021

20501 - GRAVES, CEDRIC J

FF

1

At 2113 hours on Saturday May 15, 2021 we were dispatched to a building fire. Nine units were assigned to this incident. Twenty-one personnel responded. We arrived on scene at 2120 hours and cleared at 2249 hours. The incident occurred at 2156 ROBIN ST, NW ORLEANS in District 03. The local station is 12. The general description of this property is 1 or 2 family dwelling. The primary task(s) performed at the scene by responding personnel was extinguishment. No mutual/automatic aid was given or received.

The involved structure is described as an enclosed building. The building was occupied and operating. "Cooking area, kitchen" best describes the primary use of the room or space where the fire originated. This building has one story above ground. The fire occurred on the second floor. The fire was confined to the floor of origin. "Heat from other open flame or smoking materials" best describes the heat source that caused the ignition. The cause of ignition was unintentional. A mental disability possibly contributed to the ignition of this fire. The use, or purpose of the material that was first ignited was "interior wall covering". "Heat source too close to combustibles" contributed to the ignition of the fire.

The use, or purpose of the contributing material was "interior wall covering".

The building was equipped with smoke detectors. The detection system was hardwired. The detector(s) operated properly. The detector(s) alerted the occupants and the occupants responded.

The estimated property loss on this incident was \$1,500. The estimated content loss was \$2,000. The estimated property value was \$107,000. The estimated content value was \$10,000.

Alarm number 0023300 has been assigned to this incident.

F12 arrived on scene to find light smoke coming from the second floor division F12

Incident Report
2021-0023300 -000

New Orleans Fire Department
317 DECATUR ST.
New Orleans, LA 70130
504-658-4700

Printed: 08/04/2021 14:38:03
Number of Pages: 9

Narratives

Narrative Name
Narrative Type
Narrative Date
Author
Author Rank
Author Assignment
Narrative Text

Notified all arriving companies and proceeded to make an interior attack. E12 extinguished a fire coming from the kitchen area and checked with thermal image camera for other areas for fire. E12 overhauled area. E12 did a final walk through, called Entergy and Red Cross for displaced residents

E21

Incident

00:13:29 Sunday, May 16, 2021

10366 - DONALDSON, MICHAEL

CAPT

Assisted with extinguishment, salvage and overhaul.

End of Report